	Application No.	Applicant(s)
	10/668,716	SCHUHRKE ET AL.
Notice of Allowability	Examiner	Art Unit
	Yon Couso	2624
The MAILING DATE of this communication apper All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport of the appropriate communication GHTS. This application is subject to	plication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>9/22/03</u> .		
2. The allowed claim(s) is/are <u>1-7</u> .		
 3. Acknowledgment is made of a claim for foreign priority una a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). 	been received. been received in Application No	
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftspers		948) attached
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the C	Office action of
Identifying indicia such as the application number (see 37 CFR 1, each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the drawing he header according to 37 CFR 1.121(ngs in the front (not the back) of d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 Notice of Informal P	atont Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal P6. ☐ Interview Summary	
3. ☑ Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat	te
Paper No./Mail Date <u>9/22/03</u>	7. Examiner's Amenda	
Examiner's Comment Regarding Requirement for Deposit of Biological Material		ent of Reasons for Allowance
·	9.	

Application/Control Number: 10/668,716

Art Unit: 2624

1. The following is an examiner's statement of reasons for allowance: prior art fails to teaches in an image-method procedure for automated contrast modification of digital image data in which at least a low and a high-frequency signal component are formed from the image signal of the image data, the low-frequency signal component is modified according to a characteristic-curve function, and then the modified, low-frequency signal component is then added to the high-frequency signal component, the improvement wherein the low-frequency signal component to be modified is formed in dependence upon high-frequency image components derived from the image data. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 2

- 2. Claims 1-7 are allowed.
- 3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Lee et al is cited because the reference teaches dynamic range adjustment system for printing digital images.

Lee is cited because the reference teaches an automatic tine adjustment by contrast gain-control on edges.

Nakajima is cited because the reference teaches apparatus for enhancing image data using a monotonously decreasing function.

Application/Control Number: 10/668,716

Art Unit: 2624

Morishita is cited because the reference teaches automated transformation of gray level of image.

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yon Couso whose telephone number is (571) 272-7448. The examiner can normally be reached on Monday through Friday from 8:30 to 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jingge Wu, can be reached on (571) 272-7429. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

YJC

January 6, 2007

YON J. COUSÓ PRIMARY EXAMINER Page 3